# Lockheed Missiles & Space Company, Inc.

Sunnyvale, California

December 20, 1989

TSCA Document Processing Center (TS-790)
Office of Toxic Substances
U.S. Environmental Protection Agency
Room L-100
401 M Street S. W.
Washington, D. C. 20460

Sirs:

This package contains the completed CAIR report forms for those chemicals on which Lockheed Missiles and Space Company (LMSC) is reporting, as listed in the Chemical Substance Matrix, section 704.225 of the December 22, 1988, Federal Register. Of the substances listed, the only ones which LMSC uses and which are not clearly exempted from reporting, are Toluene Diisocyanates (TDI).

The seven reports being filed are for the following chemicals:

Conathane DPEN-8536 (two reports filed for the two EPA facilities within LMSC)

We have been notified by the supplier via the June 14 Federal Register listing. We are using this product at two different EPA facilities of LMSC, as indicated in the reports.

Eccofoam FPH

We have not received a letter from the supplier, but have verbal information that he is preparing a written notification.

Scotch Cast Brand Resin 221

We received no letter from the supplier, who has indicated that they did not notify us since they are no longer producing this material, but would have if they were still manufacturing it.

Stafoam P1100 Series, Component T (three reports filed for the three different densities of this product).

We received no letter from the supplier since that company is exempt from reporting because of the size of their business and the volume of TDI that they manufacture.

We are reporting to you for all of these chemicals, because we consider the intent of the regulation makes it appropriate to report, even though in three of the four cases there may be a technicality which might be construed as reason not to report.

This report is provided within the timeframe requested in our letter dated September 28, 1989, and which was re-sent on November 20, 1989. On December 19, 1989, we received telephone confirmation that this request had been granted.

TSCA Document Processing Center (TS-790) Page 2 December 20, 1989

If further information is needed, please call Barbara Jinbo [(408) 742-1193], who is the technical contact as listed on the report form.

Sincerely,

LOCKHEED MISSILES & SPACE COMPANY

George M. Tomer, Manager

Occupational Safety and Health

O/47-20, B/106

1111 Lockheed Way Sunnyvale, CA 94089

(408)743-2600

GMT:elm Enclosures Staloan 71103 Compount T



Form Approved
OMB No. 2010-0019
Approval Expires 12-31-89

**⊕ EPA-OTS** 000636201I

90-900000033

# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY Comprehensive Assessment Information Rule REPORTING FORM

When completed, send this form to:

Document Processing Center
Office of Toxic Substances, TS-790
U.S. Environmental Protection Agency
401 M Street, SW
Washington, DC 20460
Attention: CAIR Reporting Office

Por Agency Use Only:

For Agency Use Only:

Date of Receipt:

Document
Control Number:

<b>)</b>	, Š			
		SECTION 1 GENERAL MANUFACTURER, IMPORTER, AND PROCESSOR INFORMATION		
PART	A (	GENERAL REPORTING INFORMATION		
1.01	Thi	s Comprehensive Assessment Information Rule (CAIR) Reporting Form has been		
<u>CBI</u>	COI	pleted in response to the <u>Federal Register Notice of <math>[\overline{1}]\overline{2}</math></u> $[\overline{2}]\overline{2}$ $[\overline{3}]\overline{3}$		
[_]	a.	If a Chemical Abstracts Service Number (CAS No.) is provided in the Federal		
		<u>Register</u> , list the CAS No		
	b.	If a chemical substance CAS No. is not provided in the <u>Federal Register</u> , list either (i) the chemical name, (ii) the mixture name, or (iii) the trade name of the chemical substance as provided in the <u>Federal Register</u> .		
		(i) Chemical name as listed in the rule NA		
		(ii) Name of mixture as listed in the rule NA		
		(iii) Trade name as listed in the rule		
	c.	If a chemical category is provided in the <u>Federal Register</u> , report the name of the category as listed in the rule, the chemical substance CAS No. you are reporting on which falls under the listed category, and the chemical name of the substance you are reporting on which falls under the listed category.		
		Name of category as listed in the rule NA		
		CAS No. of chemical substance [_]_]_]_]_]_]_]_]_]_]_]-[_]]		
		Name of chemical substance		
1.02	Ide	entify your reporting status under CAIR by circling the appropriate response(s).		
CBI	Man	ufacturer 1		
[_]	Imp	orter 2		
	Processor			
		manufacturer reporting for customer who is a processor 4		
	X/P	processor reporting for customer who is a processor		

] Mark (X) this box if you attach a continuation sheet.					
3					
3					

1.03 <u>CBI</u> [_]	Does the substance you are reporting on have an "x/p" designadon associated with it in the above-listed Federal Register Notice?  Yes
1.04 <u>CBI</u> [_]	a. Do you manufacture, import, or process the listed substance and distribute it under a trade name(s) different than that listed in the Federal Register Notice? Circle the appropriate response.  Yes
1.05 <u>CBI</u> []	If you buy a trade name product and are reporting because you were notified of your reporting requirements by your trade name supplier, provide that trade name.  Trade name
1.06 <u>CBI</u> [_]	Certification The person who is responsible for the completion of this form must sign the certification statement below:  "I hereby certify that, to the best of my knowledge and belief, all information entered on this form is complete and accurate."  George M. Tomer  NAME    SIGNATURE   DATE SIGNED
[_] M	ark (X) this box if you attach a continuation sheet.

1.03 CBI	Does the substance you are reporting on have an " $x/p$ " designation associated with it in the above-listed <u>Federal</u> <u>Register</u> Notice?					
	Yes					
( <u> </u>	No					
1.04 <u>CBI</u>	a. Do you manufacture, import, or process the listed substance and distribute it under a trade name(s) different than that listed in the Federal Register Notice? Circle the appropriate response.  Yes					
ι,	No					
	b. Check the appropriate box below:					
	[_] You have chosen to notify your customers of their reporting obligations					
	Provide the trade name(s)					
	[_] You have chosen to report for your customers					
	You have submitted the trade name(s) to EPA one day after the effective date of the rule in the <u>Federal Register</u> Notice under which you are reporting.					
1.05 CBI	If you buy a trade name product and are reporting because you were notified of your reporting requirements by your trade name supplier, provide that trade name.					
[ <u></u> ]	Trade name					
	Is the trade name product a mixture? Circle the appropriate response.					
	Yes 1					
•	No 2					
l.06	Certification The person who is responsible for the completion of this form must sign the certification statement below:					
	"I hereby certify that, to the best of my knowledge and belief, all information entered on this form is complete and accurate."					
	NAME SIGNATURE DATE SIGNED					
	TITLE TELEPHONE NO.					
<u>_</u> ]	Mark (X) this box if you attach a continuation sheet.					

1.07 <u>CBI</u> []	with the required information on a CAIR Reporting Form for the listed substance within the past 3 years, and this information is current, accurate, and complete for the time period specified in the rule, then sign the certification below.				
JA	information which I have not in	best of my knowledge and belief, al acluded in this CAIR Reporting Form and is current, accurate, and compl	has been submitted		
	NAME	SIGNATURE	DATE SIGNED		
	TITLE	TELEPHONE NO.	DATE OF PREVIOUS SUBMISSION		
1.08 <u>CBI</u> [_]	certify that the following statements truthfully and accurately apply to all of those confidentiality claims which you have asserted.  "My company has taken measures to protect the confidentiality of the information.				
	NAME	SIGNATURE  ()  TELEPHONE NO.	DATE SIGNED		
<del></del>	Mark (X) this box if you attach a				

1.09	Facility Identification
CBI	Name [L]O]C V H E E D   M I S S I L E S   ¢   S P K C E
lJ	Address [\bar{\bar{\bar{\bar{\bar{\bar{\bar{
	[ <u>                                    </u>
	[ <u>C]本</u> ] [ <u>9]4]<u>0]</u>8]<u>9</u>][<u>3]5]0]</u>4</u>
	Dun & Bradstreet Number $$
	EPA ID Number
	Employer ID Number
	Primary Standard Industrial Classification (SIC) Code
	Other SIC Code[_]_]_]
	Other SIC Code[_]_]_]_]
1.10	Company Headquarters Identification
CBI '	
[_]	Address [][][][][][][][][][][][][][][][][][][
	[][][][][][][][][][][][][][][][][][][]
	$\frac{\overline{C}\overline{A}}{\text{State}} = \frac{\overline{9}\overline{4}\overline{0}\overline{8}\overline{9}\overline{-1}\overline{5}\overline{0}\underline{5}\overline{0}\underline{4}}{\overline{2}ip}$
	Dun & Bradstreet Number $[\underline{0}]\underline{0}]-[\underline{q}]\underline{1}\underline{2}]-[\underline{5}]\underline{5}]\underline{3}]\underline{5}]$
	Employer ID Number

1.11	Parent Company Identification
<u>CBI</u>	Name [LOCKHED CORPORATION] ] Address [4] SOO PARK GRANDADA BUND Street
	[C]A C]A B A S A S
	$(\overline{C})\overline{A}$ $(\overline{9})\overline{1}\overline{3}\overline{9}\overline{9}$ $-(\overline{0})\overline{3}\overline{3}\overline{2}$
	Dun & Bradstreet Number
1.12	Technical Contact
<u>CBI</u>	Name (B)
	$     \begin{bmatrix} \underline{C}   \underline{A} \end{bmatrix}  [\underline{Q} ] \underline{4}   \underline{O}   \underline{8}   \underline{Q} ] - [\underline{3} ] \underline{5}   \underline{O} ] \underline{4} \\     State $
	Telephone Number $[\underline{4}]\underline{0}]\underline{8} - [\underline{7}]\underline{4}]\underline{3} - [\underline{1}]\underline{7}]\underline{9}]\underline{3}$
1.13	This reporting year is from
	Mark (X) this box if you attach a continuation sheet.

۹ن	1.14	Facility Acquired If you purchased this facility during the reporting year, provide the following information about the seller:
	<u>CBI</u>	Name of Seller [_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]
	[_]	Mailing Address [_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]
		(
		[_]_] [_]]]][_]]]]] State
		Employer ID Number
		Date of Sale
		Mo. Day Year
		Contact Person [_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]
		Telephone Number
NP	1.15	Facility Sold If you sold this facility during the reporting year, provide the following information about the buyer:
1	<u>CBI</u>	Name of Buyer [_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]
	[_]	Mailing Address [_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]
		[_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]
		[_]_] [_]_]_]_]_][_]]]]] State
		Employer ID Number
		Date of Purchase
		Contact Person [_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]_]
		Telephone Number
	[_]	Mark (X) this box if you attach a continuation sheet.

CBI	Classification	Quantity (kg/yr)
l1	Manufactured	<u>NA</u>
	Imported	· NA
	Processed (include quantity repackaged)	
	Of that quantity manufactured or imported, report that quantity:	
	In storage at the beginning of the reporting year	. NA
	For on-site use or processing	· NA
	For direct commercial distribution (including export)	·NA
	In storage at the end of the reporting year	·NA
	Of that quantity processed, report that quantity:	
	In storage at the beginning of the reporting year	0.0
	Processed as a reactant (chemical producer)	9.0
	Processed as a formulation component (mixture producer)	
	Processed as an article component (article producer)	NA
	Repackaged (including export)	. <u>NA</u>
	In storage at the end of the reporting year	0.0
2	V: 1	chemical is no
ζa) s	( 946 ml v 1.2 g v 1step o , secon	sood si sou
- (		shelf defe

 $[\ \ ]$  Mark (X) this box if you attach a continuation sheet.

7 Mixture If the listed sub or a component of a mixture, chemical. (If the mixture of each component chemical for	provide the following information omposition is variable, repo	rmation for eac	h component
Component Name	Supplier Name	Compositi (specify	rage % on by Weight precision, 45% ± 0.5%)
Johns discapale	Expended Reduce and Phanes Corp Phanes Corp Phanes Corp		6tur
		Total	100%
• • •			

(2.04)	State the quantity of the listed substance that your facility man or processed during the 3 corporate fiscal years preceding the redescending order.	ufactured, i	mported,
CBI			
[_]	Year ending	[ <u>T]</u> <u>3</u> ]	[ <u>8</u> ] <u>7</u> ] Year
	Quantity manufactured	AU	kg
	Quantity imported	NA	kg
	Quantity processed	9	kg
	Year ending	$\cdots [\overline{1}\overline{2}]$	$\left[\frac{\mathbb{Z}}{\mathbb{Z}}\right]\overline{\mathbb{Q}}$
	Quantity manufactured	NA	kg
	Quantity imported	AM	kg
	Quantity processed	<u></u> ( <sub>o</sub>	kg
	Year ending	[ <u>T]</u> ] Mo.	$\left[\frac{8}{8}\right]\frac{5}{5}$
	Quantity manufactured	AU	kg
	Quantity imported	NA	kg
	Quantity processed	5	kg
2.05	Specify the manner in which you manufactured the listed substance appropriate process types.	. Circle all	L
CBI	NA		
[_]	Continuous process	• • • • • • • • • • • • • • • • • • • •	1
	Semicontinuous process		2
	Batch process		3
[_]	Mark (X) this box if you attach a continuation sheet.		

2.06 CBI	Specify the manner in appropriate process to	which you processed	the listed substance.	Circle all
[_]				
	Continuous process .	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • •
	Semicontinuous process	5	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •
	Batch process		• • • • • • • • • • • • • • • • • • • •	
(2.07) (CBI	State your facility's substance. (If you and question.)	name-plate capacity : re a batch manufacture	for manufacturing or poser or batch processor,	rocessing the listed do not answer this
[_]	Manufacturing capacity	· · · · · · · · · · · · · · · · · · ·		₩A kg/yı
	reconsing capacity .			NA kg/yr
<u>CBI</u>	year, estimate the inc	rease or decrease bas	time after your curre sed upon the reporting	year's production
[_]		Manufacturing Quantity (kg)	Importing Quantity (kg)	Processing Quantity (kg)
	Amount of increase	WA.	NA	UK
	Amount of decrease	NA	NA	UK
		<u></u>		
[-]	Mark (X) this box if yo	ou attach a continuat	ion sheet	

(2.09)	listed substance substance during	largest volume manufacturing or processing proce ce, specify the number of days you manufactured ng the reporting year. Also specify the average ss type was operated. (If only one or two opera	or processed number of h	l the listed Nours per
<u>CBI</u>			Days/Year	Average Hours/Day
	Process Type #1	(The process type involving the largest quantity of the listed substance.)		
		Manufactured	NA	NA
		Processed	_5_	
	Process Type #2	(The process type involving the 2nd largest quantity of the listed substance.)		
		Manufactured	NA	NA
		Processed	_NA_	_NA
	Process Type #3	(The process type involving the 3rd largest quantity of the listed substance.)		
		Manufactured	_NA	NA
	-	Processed	_ NA	AN
2.10 <u>CBI</u> []	chemical.  Maximum daily in	um daily inventory and average monthly inventory was stored on-site during the reporting year in nventory	the form of	ted a bulk kg
<u></u>	Mark (X) this bo	ox if you attach a continuation sheet.		

[_]	CAS No.	Chemical Name	Byproduct, Coproduct or Impurity <sup>1</sup>	Concentration (%) (specify ± % precision)	Source of By- products, Co- products, or Impurities

(2.12) <u>CBI</u> [_]	Existing Product Types imported, or processed the quantity of listed total volume of listed quantity of listed sublisted under column b. the instructions for from the column of the col	using the listed su substance you use f substance used duri stance used captivel , and the types of e	bstance during the re or each product type ng the reporting year y on-site as a percen nd-users for each pro	porting year. List as a percentage of th . Also list the tage of the value
	a.  Product Types <sup>1</sup>	b. % of Quantity Manufactured, Imported, or Processed	c. % of Quantity Used Captively On-Site	d. Type of End-Users <sup>2</sup>
	<u> </u>	100%	100%	14
	<pre>1 Use the following codes to designate prod A = Solvent B = Synthetic reactant C = Catalyst/Initiator/Accelerator/         Sensitizer D = Inhibitor/Stabilizer/Scavenger/         Antioxidant E = Analytical reagent F = Chelator/Coagulant/Sequestrant G = Cleanser/Detergent/Degreaser H = Lubricant/Friction modifier/Antiwear agent I = Surfactant/Emulsifier J = Flame retardant K = Coating/Binder/Adhesive and additives</pre>		L = Moldable/Castabl M = Plasticizer N = Dye/Pigment/Colo O = Photographic/Rep and additives P = Electrodepositio Q = Fuel and fuel ad R = Explosive chemic S = Fragrance/Flavor T = Pollution contro U = Functional fluid V = Metal alloy and W = Rheological modi	n/Plating chemicals ditives als and additives chemicals l chemicals s and additives additives
	<sup>2</sup> Use the following code I = Industrial CM = Commercial	CS = Cons		the Law

 explanation and an exam		the value	ue listed unde	ty of listed substand r column b., and the ctions for further
a.	b.		с.	d.
Product Types <sup>1</sup>	% of Quantity Manufactured, Imported, or Processed		of Quantity ed Captively On-Site	Type of End-Users
	100%		100%	1-1
<pre>1 Use the following code A = Solvent B = Synthetic reactant C = Catalyst/Initiator</pre>		L = Mo. M = Pla N = Dye O = Pho	ldable/Castable asticizer e/Pigment/Colo otographic/Rep d additives	e/Rubber and additiverant/Ink and additiverographic chemical
Sensitizer  D = Inhibitor/Stabiliz     Antioxidant  E = Analytical reagent F = Chelator/Coagulant G = Cleanser/Detergent H = Lubricant/Friction     agent I = Surfactant/Emulsif J = Flame retardant K = Coating/Binder/Adh	/Sequestrant /Degreaser modifier/Antiwear	P = Ele Q = Fue R = Exp S = Fra T = Pol U = Fur V = Me W = Rhe	el and fuel adoplosive chemica agrance/Flavor llution control nctional fluids tal alloy and a eological modi:	als and additives chemicals l chemicals s and additives additives

a.	b.	c. Average % Composition of	d.
Product Type <sup>1</sup>	Final Product's Physical Form <sup>2</sup>	Listed Substance in Final Product	Type of End-User
1			
A = Solvent B = Synthetic react		<pre>duct types:    L = Moldable/Castable    M = Plasticizer    N = Dye/Pigment/Color</pre>	
<pre>C = Catalyst/Initiator/Accelerator/     Sensitizer D = Inhibitor/Stabilizer/Scavenger/     Antioxidant</pre>		<pre>0 = Photographic/Repr and additives</pre>	ographic chemi
E = Analytical reag F = Chelator/Coagul G = Cleanser/Deterg	ant/Sequestrant	<pre>P = Electrodeposition Q = Fuel and fuel add R = Explosive chemica S = Fragrance/Flavor</pre>	itives ls and additive
<pre>H = Lubricant/Frict     agent I = Surfactant/Emul</pre>	<pre>ion modifier/Antiwear sifier</pre>		chemicals and additives
<pre>J = Flame retardant K = Coating/Binder/</pre>		<pre>W = Rheological modif s X = Other (specify)</pre>	ier 
<sup>2</sup> Use the following c A = Gas		final product's physicastalline solid	al form:
B = Liquid C = Aqueous solutio D = Paste	F3 = Gra	nules er solid	
E = Slurry F1 = Powder		er (specify)	<del> </del>
$^{3}$ Use the following c	odes to designate the	type of end-users:	
<pre>I = Industrial CM = Commercial</pre>	CS = Con. H = Oth	sumer er (specify)	

[-]		ed substance to off-site customers.	
		ear	
)P		, Vessel	
	J	ine	•
	-	#=====================================	
	other	(specify)	(
2.16 CBI	or pr	omer Use Estimate the quantity of the listed substance used by your curepared by your customers during the reporting year for use under each cand use listed (i-iv).	ustomers ategory
[_]	Categ	ory of End Use	
JA	i.	Industrial Products	
		Chemical or mixture	kg/yı
		Chemical or mixture	
	ii.		
	ii.	Article	kg/yı
	ii.	Article  Commercial Products	kg/yr kg/yr
	ii.	Article  Commercial Products  Chemical or mixture	kg/yr kg/yr
		Article	kg/yr kg/yr kg/yr
		Article	kg/yr kg/yr kg/yr kg/yr
		Article	kg/yr kg/yr kg/yr kg/yr
	iii.	Article	kg/yr kg/yr kg/yr kg/yr kg/yr
	iii.	Commercial Products  Chemical or mixture  Article  Consumer Products  Chemical or mixture  Article  Other  Distribution (excluding export)	kg/yr kg/yr kg/yr kg/yr kg/yr kg/yr
	iii.	Commercial Products Chemical or mixture  Article  Consumer Products Chemical or mixture  Article  Other  Distribution (excluding export)  Export	kg/yr kg/yr kg/yr kg/yr kg/yr kg/yr kg/yr
	iii.	Commercial Products  Chemical or mixture  Article  Consumer Products  Chemical or mixture  Article  Other  Distribution (excluding export)	kg/yr kg/yr kg/yr kg/yr kg/yr kg/yr kg/yr kg/yr

SECTION	3	PROCESSOR	RAU	MATERTAL.	IDENTIFICATION
SECTION		LICCESSOR	T/V M	LIVITUAL	TOURTTETCHTION

3.01 CBI	Specify the quantity purchased and the average price paid for the listed substance for each major source of supply listed. Product trades are treated as purchases. The average price is the market value of the product that was traded for the listed substance.						
[_]	Source of Supply	Quantity (kg)	Average Price (\$/kg)				
	The listed substance was manufactured on-site.	NA	NA				
	The listed substance was transferred from a different company site.	<u> </u>	NA				
	The listed substance was purchased directly from a manufacturer or importer.	9.0	36.00				
	The listed substance was purchased from a distributor or repackager.	NA	NA				
	The listed substance was purchased from a mixture producer.	NA	NA				
3.02 CBI	Circle all applicable modes of transportation used to your facility.	deliver the lis	ted substance to				
[_]	Truck	• • • • • • • • • • • • • • • • • • • •	(1				
	Railcar	• • • • • • • • • • • • • • • • • • • •	2				
	Barge, Vessel		3				
	Pipeline	• • • • • • • • • • • • • • • • • • • •	4				
	Plane	• • • • • • • • • • • • • • • • • • • •	5				
	Other (specify)	• • • • • • • • • • • • • • •	6				
		·					
[_]	Mark (X) this box if you attach a continuation sheet.						

3.03 <u>CBI</u>	a.	Circle all applicable containers used to transport the listed subsfacility.	stance to	your
[_]		Bags	• • • • • • • •	
		Boxes		
		Free standing tank cylinders		
		Tank rail cars		
		Hopper cars		
		Tank trucks		
		Hopper trucks		
		Drums		
		Pipeline		
		Other (specify) centainers		
	b.	If the listed substance is transported in pressurized tank cylinde cars, or tank trucks, state the pressure of the tanks.		
		Tank cylinders	A'M	mmHg
		Tank rail cars	NA	mmHg
		Tank trucks	LiA	mmHg
		- -		

3.04 CBI	of the mixture, the name	e of its supplier(s) tion by weight of the	orm of a mixture, list the or manufacturer(s), an established substance in the string year.	timate of the
P	Trade Name	Supplier or Manufacturer	Average % Composition by Weight (specify ± % precision)	Amount Processed (kg/yr)
	Statoan 11103 Composed T	Expanded Rubbis C	- 180% tuk Tot	9.0

5 State the quantity of the listed substance used as a raw material during the reporting year in the form of a class I chemical, class II chemical, or polyme the percent composition, by weight, of the listed substance.					
_1	Quantity Used (kg/yr)	<pre>% Composition by Weight of Listed Sub- stance in Raw Material (specify ± % precision</pre>			
Class I chemical	9.0	80% tuk			
	<u>NA</u>	A <i>u</i>			
	<u>NA</u>	AU			
Class II chemical	<u> Avi</u>	<i>NA</i>			
	NÀ	NA			
	NA	NA.			
Polymer	NA_	NA			
	NA	NA			
	NA	40			
•					

SECTION	٨.	PHYSTCAL/CE	IPMTCAL	DDODEDTTEC
Servicos.	4	PRISILAL/UE	Ir.MIL.AI.	PRUPERTURA

_		-	-				
( - 01	nor	· a l	Ins	trii	~ f 7		- •
u	1151	<b>a</b> 1	1113	LLU	-	UII.	э.

If you are reporting on a mixture as defined in the glossary, reply to questions in Section 4 that are inappropriate to mixtures by stating "NA -- mixture."

For questions 4.06-4.15, if you possess any hazard warning statement, label, MSDS, or other notice that addresses the information requested, you may submit a copy or reasonable facsimile in lieu of answering those questions which it addresses.

PART A	A PHYSICAL/CHEMICAL DATA	SUMMARY		
	Specify the percent puri substance as it is manufa substance in the final primport the substance, or	roduct form for manufactu	ring activities, a	t the time you
				110000

Technical grade #1 NA % purity NA % purity

Technical grade #2 NA % purity NA % purity

Technical grade #3 NA % purity NA % purity

WE \*\* purity \*

(4.02)	Submit your most recently updated Material Safety Data Sheet (MSDS) for the listed substance, and for every formulation containing the listed substance. If you possess an MSDS that you developed and an MSDS developed by a different source, submit your version. Indicate whether at least one MSDS has been submitted by circling the appropriate response.
	Yes
	No 2
	Indicate whether the MSDS was developed by your company or by a different source.
	Your company 1
	Another source

[\_] Mark (X) this box if you attach a continuation sheet.

<sup>&</sup>lt;sup>1</sup>Major = Greatest quantity of listed substance manufactured, imported or processed.

, i	•							
4.03	Submit a copy or reasonal that is provided to your formulation containing the been submitted by circlin	customers/users re ne listed substance	garding the . Indicate	listed sub	stance or any	•		
	Yes	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	1		
	No		• • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •		(2		
(4.04)  (BI)  (T)	For each activity that uses the listed substance, circle all the applicable number(s) corresponding to each physical state of the listed substance during the activity listed. Physical states for importing and processing activities are determined at the time you import or begin to process the listed substance. Physical states for manufacturing, storage, disposal and transport activities are determined using the final state of the product.  Physical State							
	Activity	Solid	Slurry	Liquid	Liquified Gas	Gas		
	Manufacture	1	2	3	4			
	Import	_				5		
	Impor (	1	2	3	4	5 5		
	Process	1	2	3 (3)	4 4			
	•	- -			·	5		

[_] Mark (X) this box if you attach a continuat	on sheet.
---	-----------

Transport

J. J. Lage,	disposal and transp	ort activities	using t	he final	state o	or manufa of the pro	duct.
Physical State		Manufacture	Import	Process	Store	Dispose	Trans
Dust	<1 micron	NA	NA	<u>AU</u>	NA	NA	N
	1 to <5 microns	AW	NA	NA	NA	NA	_ 2
	5 to <10 microns	<u>~~</u>	<u>NA</u>	<u>NA</u>	NA	<u>AU</u>	<u> </u>
Powder	<1 micron	_NA	NA_	NA	NA_	NA	<u>N</u>
	1 to <5 microns	NA	<u>NA</u>	NA_	Ain_	NA_	N
	5 to <10 microns	NA	<u> </u>	NA	NA	NA	_ //
Fiber	<1 micron		<u>NA</u>	NA	<u>N</u> A_	WA	N/
	1 to <5 microns	_ NA_	NA	NA	NA	NA	<u>N</u>
	5 to <10 microns	AA	NA	NA	NA	_AM_	_01
Aerosol	<1 micron	_ NA	_NA_	NA	NA	AU	_Nf
	1 to <5 microns	NA_	NA	NA_	NA	1111	<u>N</u>
	5 to <10 microns	<u>NA</u>	NA	NA	NIA	1771	<u> </u>

[\_\_] Mark (X) this box if you attach a continuation sheet.

#### SECTION 5 ENVIRONMENTAL FATE

)1	Ind	dicate the rate constants for the following transformation processes.								
	a.	Photolysis:								
		Absorption spectrum coefficient (peak)	UK	(1/M cm)	at	NA	nm			
		Reaction quantum yield, 6	UK		at	90	<u> </u>			
		Direct photolysis rate constant, $k_p$ , at	UK	1/hr		JA_	latitude			
	b.	Oxidation constants at 25°C:								
		For 10 <sub>2</sub> (singlet oxygen), k <sub>ox</sub>		UK			1/M h			
		For $RO_2$ (peroxy radical), $k_{ox}$		NK-			1/M h			
	c.	Five-day biochemical oxygen demand, $BOD_5$	· · · · · · · · · · · · · · · · · · ·	UV-			mg/l			
	d.	Biotransformation rate constant:								
		For bacterial transformation in water, $k_b$		LXK.			1/hr			
		Specify culture		UK						
	e.	Hydrolysis rate constants:								
		For base-promoted process, $k_{_{\footnotesize{B}}}$		UK			1/M hi			
		For acid-promoted process, $k_A$		UK			1/M hr			
		For neutral process, $k_N$	-	UK			1/hr			
	f.	Chemical reduction rate (specify conditions)_		LIK						
	g.	Other (such as spontaneous degradation)		WK_			puralityuur.			

$[\overline{}]$ Mark (X) this box if you attach a continuation sh		Mark (X)	this box	if you	attach a	continuation	sheet.
---	--	----------	----------	--------	----------	--------------	--------

PART	ВЕ	ARTITION COEFFICIENTS	5					
5.02	a.	Specify the half-lif	fe of the listed subs	tance in the follow:	ing med	ia.		
		<u>Media</u>	Half-life (spec	-life (specify units)				
		Groundwater	-	UK				
		Atmosphere		i.k.K				
		Surface water		uk				
		Soil		UK				
	b.	Identify the listed life greater than 24	substance's known tr hours.	ansformation product	s that	have a half-		
		CAS No.	Name	Half-life (specify units)		Media		
		LIC	LIC	<u> </u>	in _	AW		
		<u> </u>	UK	LX	in _	MA		
		<u>uk</u>	UK	LK	in _	F.G.		
		UK	UK	LIV	in _	NA		
		- 						
5.03		cify the octanol-water			UK. JA	at 25°(		
5.04	Spec	cify the soil-water pa	artition coefficient	, K <sub>d</sub>	XIC.	at 25°(		
		type						
5.05	Spec	eify the organic carbo	on-water partition		LK.	at 25°0		
5.06	Spec	ify the Henry's Law C	Constant, H	·····	V.	atm-m³/mole		
	Mark	(X) this box if you	attach a continuatio	n sheet.				

Bioconcentration Factor	<u>Species</u>	<u>Test<sup>1</sup></u>
UK	UK	NA
Lik	UK	NA
LVC	UK	NA
<sup>1</sup> Use the following codes to des	ignate the type of test:	***************************************
F = Flowthrough S = Static		
· · · · · · · · · · · · · · · · · · ·		
<del>-</del>		

		Quantity Sold or	Total Sales
	Market	Transferred (kg/yr)	Value (\$/yr)
	Retail` sales		
	Distribution Wholesalers		
	Distribution Retailers		
	Intra-company transfer		
	Repackagers		
	Mixture producers		
	Article producers		
	Other chemical manufacturers or processors		
	Exporters		
	Other (specify)		
	***************************************		
	_		
	Response not	required for TD	<u> </u>
	Substitutes List all known commerce for the listed substance and state the feasible substitute is one which is early our current operation, and which performance in its end uses.	ially feasible substitute e cost of each substitute conomically and technolog	es that you know exist e. A commercially gically feasible to us
2.05)	Substitutes List all known commerciator the listed substance and state the feasible substitute is one which is earn your current operation, and which is	ially feasible substitute e cost of each substitute conomically and technolog	es that you know exist e. A commercially gically feasible to us
	Substitutes List all known commerce for the listed substance and state the feasible substitute is one which is early your current operation, and which performance in its end uses.	ially feasible substitute e cost of each substitute conomically and technolog results in a final produc	es that you know existed to the commercially gically feasible to use the comparable
	Substitutes List all known commerce for the listed substance and state the feasible substitute is one which is easing your current operation, and which performance in its end uses.  Substitute	ially feasible substitute e cost of each substitute conomically and technolog results in a final produc	es that you know existe. A commercially gically feasible to use the with comparable Cost (\$/kg)
	Substitutes List all known commerce for the listed substance and state the feasible substitute is one which is easing your current operation, and which performance in its end uses.  Substitute	ially feasible substitute e cost of each substitute conomically and technolog results in a final produc	es that you know existe. A commercially gically feasible to use the with comparable Cost (\$/kg)
	Substitutes List all known commerce for the listed substance and state the feasible substitute is one which is easing your current operation, and which performance in its end uses.  Substitute	ially feasible substitute e cost of each substitute conomically and technolog results in a final produc	es that you know existe. A commercially gically feasible to use the with comparable Cost (\$/kg)
	Substitutes List all known commerce for the listed substance and state the feasible substitute is one which is easing your current operation, and which performance in its end uses.  Substitute	ially feasible substitute e cost of each substitute conomically and technolog results in a final produc	es that you know existe. A commercially gically feasible to use the with comparable Cost (\$/kg)
	Substitutes List all known commerce for the listed substance and state the feasible substitute is one which is easing your current operation, and which performance in its end uses.  Substitute	ially feasible substitute e cost of each substitute conomically and technolog results in a final produc	es that you know existe. A commercially gically feasible to use the with comparable Cost (\$/kg)

### SECTION 7 MANUFACTURING AND PROCESSING INFORMATION


#### General Instructions:

For questions 7.04-7.06, provide a separate response for each process block flow diagram provided in questions 7.01, 7.02, and 7.03. Identify the process type from which the information is extracted.

## PART A MANUFACTURING AND PROCESSING PROCESS TYPE DESCRIPTION

(7.01) In accordance with the instructions, provide a process block flow diagram showing the major (greatest volume) process type involving the listed substance.

[] Process type ..... <u>Janing Country</u>



[ ] Mark (X) this box if you attach a continuation sheet.

7.03	In accordance with the instructions, provide a process block flow diagram showing al process emission streams and emission points that contain the listed substance and which, if combined, would total at least 90 percent of all facility emissions if not treated before emission into the environment. If all such emissions are released from one process type, provide a process block flow diagram using the instructions for question 7.01. If all such emissions are released from more than one process type, provide a process block flow diagram showing each process type as a separate block.
<u>CBI</u>	Process type Lang Operation
	TA  BASE  RESIN  (TUF)  TC
	7.3 FUME 76 FUME 7.11

TRIM

EXCESS

POSSIBLE TOT

ENCESS

TOTAL

T

7.4 owing to

 $[\ ]$  Mark (X) this box if you attach a continuation sheet.

BI ] Process typ	Process type Joaning Creaturin						
Unit Operation ID Number	Typical Equipment Type	Operating Temperature Range (°C)	Operating Pressure Range (mm Hg)	Ve <u>Comp</u>			
7.1	func hood	anich	ancient				
_7.2_	functional		<u>trailma</u>				
-							
		***************************************					
				-			
	_						

Process Stream  ID Process Stream  Code Description Physical State  The Same read pound a container OL  TB catalogh pound a container L  TC two components mixed OL > 50  TD mixture cound in over 50  TE excess from timened 50  TE emissions from over 6-12  The emissions from hood (1)  The emissions from hoo	Stream Flow (kg/y	Physical State <sup>1</sup>		Stream
TB catalept parced in earthirs— L  TC two components mixed OL > SO  TD mixture arred in over SO  TE excess from timmed SO  TE emissions from over G-L  TO emissions from over G-L  TO emissions from hood OLA	UK		Description	<del></del>
TC two components mixed OL > 50  TD mixture could in over 50  TE excess foar timmed 50  TF emissions from over 6-12  TO emissions from bood 612	UK	<u> </u>	Sase resin pound i contain	74
TC two components mixed OL > 50  TD mixture crued in over 50  TE excess foar trimined 50  TF emissions from over 6-12  To emissions from hourd (712			catalyst poured in continu	713
TE exces foar timed 50  TE enisions from over 6-4  To enissions from houd 6-12	UK	OL → SO_		
7F enissions from over 6-12  76 enissions from houd 6-12	UK	<u> 50                                   </u>	mixture could in over	75
76 emissions from hood Gra	Lek.	50	excess foar turned	<u>ne</u>
	Ux.	6-4	exissions from over	TE
Use the following codes to designate the physical state for each process	uk	612	enissions from hood	76-
<sup>1</sup> Use the following codes to designate the physical state for each proces		A A A A A A A A A A A A A A A A A A A		
GC = Gas (condensible at ambient temperature and pressure) GU = Gas (uncondensible at ambient temperature and pressure) SO = Solid SY = Sludge or slurry AL = Aqueous liquid OL = Organic liquid IL = Immiscible liquid (specify phases, e.g., 90% water, 10% toluene)	ss stream:	ressure) pressure)	densible at ambient temperature and ondensible at ambient temperature ar r slurry liquid liquid	GC = Gas (cor GU = Gas (und SO = Solid SY = Sludge of AL = Aqueous OL = Organic

a. b. c. d. e.								
	a.	b.	c.	d.	е.			
St	cess ream Code	Known Compour	Concentrations <sup>2,3</sup> $\frac{1}{1}$	Other Expected Compounds	Estimated Concentratio (% or ppm)			
	<u>A</u> _	IGT	< 80%	NA	AU			
		elyether poli	yol. > 20%	AM	NA			
	1B	UK	WK	UK	WK			
70,1	),E	Musethane	toan 100%	NA	NA			
_71	<del>-</del> ,6 _	ICT	LIK	- UN	CCK			
	- - -							
	inued belo	v₩						

#### 7.06 (continued)

NP

<sup>1</sup>For each additive package introduced into a process stream, specify the compounds that are present in each additive package, and the concentration of each component. Assign an additive package number to each additive package and list this number in column b. (Refer to the instructions for further explanation and an example. Refer to the glossary for the definition of additive package.)

Additive Package Number	Components of Additive Package	Concentrations (% or ppm)
1		-
2		
3		
4		
5	<u>·</u>	
	· · · · · · · · · · · · · · · · · · ·	
<sup>2</sup> Use the following codes to	designate how the concentration	was determined:
A = Analytical result E = Engineering judgement/o	calculation	
<sup>3</sup> Use the following codes to	designate how the concentration	was measured:
V = Volume W = Weight		

# SECTION 8 RESIDUAL TREATMENT GENERATION, CHARACTERIZATION, TRANSPORTATION, AND MANAGEMENT

#### General Instructions:

For questions 8.04-8.06, provide a separate response for each residual treatment block flow diagram provided in question 8.01, 8.02 or 8.03. Identify the process type from which the information is extracted.

For questions 8.05-8.33, the Stream Identification Codes are those process streams listed in either the Section 7 or Section 8 block flow diagrams which contain residuals for each applicable waste management method.

For questions 8.07-8.33, if residuals are combined before they are handled, list those Stream Identification Codes on the same line.

Questions 8.09-8.33 refer to the waste management activities involving the residuals identified in either the Section 7 or Section 8 block flow diagrams. Not all Stream Identification Codes used in the sample answers (e.g., for the incinerator questions) have corresponding process streams identified in the block flow diagram(s). These Stream Identification codes are for illustrative purposes only.

For questions 8.11-8.33, if you have provided the information requested on one of the EPA Office of Solid Waste surveys listed below within the three years prior to your reporting year, you may submit a copy or reasonable facsimile in lieu of answering those questions which the survey addresses. The applicable surveys are: (1) Hazardous Waste Treatment, Storage, Disposal, and Recycling Survey; (2) Hazardous Waste Generator Survey; or (3) Subtitle D Industrial Facility Mail Survey.

						***	
[_]	Mark (X)	this box	c if you	attach	a continuation	sheet.	

#### PART A RESIDUAL TREATMENT PROCESS DESCRIPTION

(8.01) CBI	In accordance with the i which describes the trea	structions, provide a residual treatment block flow diagram ment process used for residuals identified in question 7.01.
[_]	Process type	Faming Operation

Polywethore 8A Residuals and
Foam Empty Cans to
Production Approved Disposal

S.1

Curing Fine
Over hood
Vest vest
7F

## PART B RESIDUAL GENERATION AND CHARACTERIZATION

a. b. c. d. e. f.									
d. \( \sqrt{1} \)	с.	b.	a.						
Compounds pp	nysical State of esidual <sup>2</sup>	pe of ardous laste	ID Ha						
	GU _		<u>1F</u> _ 6						
715	ou _	.,T	<u>16 - F</u>						
> TOT		27	<u>88</u>						
tolke metalog									
		···········							
· ·									

#### 8.05 (continued)

1 Use the following codes to designate the type of hazardous waste:

I = Ignitable

C = Corrosive

R = Reactive

E = EP toxic

T = Toxic

H = Acutely hazardous

<sup>2</sup>Use the following codes to designate the physical state of the residual:

GC = Gas (condensible at ambient temperature and pressure)

GU = Gas (uncondensible at ambient temperature and pressure)

SO = Solid

SY = Sludge or slurry

AL = Aqueous liquid

OL = Organic liquid

IL = Immiscible liquid (specify phases, e.g., 90% water, 10% toluene)

#### 8.05 continued below

## 8.05 (continued)

8.05

[\_]

<sup>3</sup>For each additive package introduced into a process stream, specify the compounds that are present in each additive package, and the concentration of each component. Assign an additive package number to each additive package and list this number in column d. (Refer to the instructions for further explanation and an example. Refer to the glossary for the definition of additive package.)

Additive Package Number	Components of Additive Package	Concentrations (% or ppm)
1		
2		
3		
4		-
 -		
5		
	to designate how the concentratio	n was determined:
A = Analytical result E = Engineering judgemen	t/calculation	
continued below	·	·
Mark (X) this box if you	attach a continuation sheet.	

Ω	05	(continued)
о.	UJ.	(Continued)

 $^5\mbox{Use}$  the following codes to designate how the concentration was measured:



V = Volume
W = Weight

<sup>6</sup>Specify the analytical test methods used and their detection limits in the table below. Assign a code to each test method used and list those codes in column e.

Code	Method	Detection Limit $(\pm \text{ ug/l})$
1		
2		
3		
5		
6		

[_]	Mark (X) this box if y	ou attach a continua	ation sheet.	

[_]	Process type			training Operation					
	a.	b.	c.	d.	e	•	f. Costs for	g.	
	Stream ID Code	Waste Description Code	Management Method Code <sup>2</sup>	Residual Quantities (kg/yr)	of Resi	gement dual (%) Off-Site	Off-Site Management (per kg)	Changes i Managemen Methods	
	<u>TF</u>	1981	MS (a)	<u>uk</u>	100%	<u> </u>	NA	NA	
	76-	1981	ms(a)	UK	100%	<u> </u>	NA	AU	
	8A	AUS AOG		ÜK		100%	UK	NA	
		<u>-</u> ·			<del></del>				
	_	e codes provi e codes provi							

[_]		Combustion Chamber Temperature (°C)		Temp	tion of erature nitor	In Con	ence Time ubustion (seconds)
	Incinerator	Primary	Secondary	Primary	Secondary	Primary	Secondary
	1					All the State of t	<del></del>
	2						
	3					***************************************	·····
	by circl	ing the appr	copriate resp	onse.	s been submit		of response
	Yes	• • • • • • • • • • •	• • • • • • • • • • •	• • • • • • • • • •	• • • • • • • • • • • •	• • • • • • • • • • •	1
	No					• • • • • • • • • • •	2
		1/2	n senoqu	uper to	isá for -	TDT	
8.23 <u>CBI</u>	Complete the f				in your proce		
	treatment bloc		am(s). Air Po	llution Device <sup>1</sup>		Types Emission Avail	s Data
		k flow diagr	am(s). Air Po	llution Device <sup>1</sup>			s Data
	Incinerator	k flow diagr	am(s). Air Po	llution Device		Emission	s Data
	Incinerator	k flow diagr	am(s). Air Po	llution Device <sup>1</sup>		Emission	s Data
	Incinerator  1 2 3 Indicate	k flow diagr	Air Po Control	Device <sup>1</sup>	been submitt	Emission Avail	s Data able
	Incinerator  1 2 3 Indicate by circl	if Office o	Air Po Control  f Solid Waste opriate respe	Device <sup>1</sup> e survey has	been submit	Emission Avail	s Data able of response
	Incinerator  1 2 3 Indicate by circl Yes	if Office o	Air Po Control  f Solid Waste opriate respe	Device <sup>1</sup> e survey has		Emission Avail	s Data able  of response
	Incinerator  1 2 3 Indicate by circl Yes	if Office o	Air Po Control  f Solid Waste opriate respe	Device <sup>1</sup> e survey has		Emission Avail	s Data able  of response

CECTION	Λ	MARKER	DVDACIDE
SECTION	•	WUKKEK	EXPOSURE

~			٦.	-						
(:0	nΔ	~2		Ιn	C T	711	~ 1	٠,	$\Delta n$	

Questions 9.03-9.25 apply only to those processes and workers involved in manufacturing or processing the listed substance. Do not include workers involved in residual waste treatment unless they are involved in this treatment process on a regular basis (i.e., exclude maintenance workers, construction workers, etc.).

## PART A EMPLOYMENT AND POTENTIAL EXPOSURE PROFILE

Data Element	Nata are Ma Hourly Workers	intained for Salaried Workers	Year in Which Data Collection Began	Number of Years Records Are Maintaine	
Date of hire	X	X	1954	37	
Age at hire			1954	37	
Work history of individual before employment at your facility	NA	<u>~~</u>	NA	NA	
Sex			1954	37	
Race	<u>×</u>		1954	37	
Job titles	<u> </u>	<u> </u>	1954	37	
Start date for each job title			1954	37	
End date for each job title			1954	37	
Work area industrial hygiene monitoring data			1957	37	
Personal employee monitoring data		<u> </u>	1957	37	
Employee medical history			1954	37	
Employee smoking history		<u> </u>	1954	37	
Accident history	<u>X</u>		1957	37	
Retirement date	<u> </u>	X	1954	37	
Termination date		X	1954	37	
Vital status of retirees	NA	NA	NA	NA	
Cause of death data		<u> </u>	1954	3)	

. ]	a.	b.	с.	d.	e.
	Activity	Process Category	Yearly Quantity (kg)	Total Workers	Tota Worker-H
	Manufacture of the	Enclosed	NA.	NA	NA
	listed substance	Controlled Release	<u>NA</u>	NA N	
		0pen		WA	NA_
	On-site use as	Enclosed	NA	AU	_ NIA_
	reactant	Controlled Release	9.0		6.25
		0pen	404	NA	NA
	On-site use as nonreactant	Enclosed	NA	NA	NA
	nonreactant	Controlled Release	NA	NA	NA NA NA NA
		0pen	Ain	AU	NA
	On-site preparation of products	Enclosed	MA	WA	NA
	of products		_NA		
	<del>-</del>	0pen	NA	NA	_NA
	Total Work	er Iburs  25 hr x I worker=  day	6.25 latech	conte	- Kucrs

Provide a descript: encompasses workers listed substance.	ive job title for each labor category at your facility that s who may potentially come in contact with or be exposed to t
Talan a	
Labor Category	Descriptive Job Title
A	Electronics Development and Just Machan
В	
С	
D	
E	
F	
G	
Н	
I	
J	
J	
-	

9.04) In accordance with the in indicate associated work	nstructions, provide your process block flow diagram(s) and areas.
CBI	
[_] Process type	-taning Operation
	7
RESIN	CATALYST
(101)	
	70
7.3 FUNE 17G-	Fume Hoos 7.1
(CUPTESC)	70
7.4 CURTNO 7F	CURING 7.2 (2)
• •	TE
	TRIM
	Excess

 $<sup>[\ \ ]</sup>$  Mark (X) this box if you attach a continuation sheet.

9.05	may potentially come additional areas not	work area(s) shown in question 9.04 that encompass workers who in contact with or be exposed to the listed substance. Add any shown in the process block flow diagram in question 7.01 or question and complete it separately for each process type.
CBI		
[_]	Process type	- Jeaning Operation
	Work Area ID	Description of Work Areas and Worker Activities
	1	fune hood - worker ruges Residend catalyst
	2	tune hood worker ruises residend catalyst
	3	
	4	
	5	
	6	
	7	
	8	
	9	
	10	
	E V	
	-	
		ou attach a continuation sheet.

9.06) <u>CBI</u>	Complete the following table for each work area identified in question 9.05, and for each labor category at your facility that encompasses workers who may potentially come in contact with or be exposed to the listed substance. Photocopy this question and complete it separately for each process type and work area.									
[_]	Process type	· · · · · · · ·	- Joan	pri	Operation	<u></u>				
	Process type									
	Labor Category	Number of Workers Exposed	Mode of Exposu (e.g., dir skin conta	ect	Physical State of Listed Substance	Average Length of Exposure Per Day <sup>2</sup>	Number of Days per Year Exposed			
	<u>A</u>		skir conte	et.	OL- 6-W	A	5			
			whileter				sure Year Day Exposed			
							-			
					<del></del>					
	·			<del></del>			Days per Year Exposed 5			
				<del></del>						
	GC = Gas (contemper GU = Gas (to temper include SO = Solid	condensible a rature and prounced and prounc	t ambient essure) at ambient essure;	SY = AL = OL = IL =	Sludge or sl Aqueous liqu Organic liqu Immiscible l (specify pha 90% water, 1	urry id id iquid ses, e.g., 0% toluene)	bstance at			
	exceedir C = Greater	tes or less than 15 minut ng 1 hour than one hour ng 2 hours		E = G e	exceeding 4 h	4 hours, but n ours				

1	Process type Spaning Operation									
						Q				
	Labor <u>Category</u>	Number of Workers Exposed	Mode of Expos (e.g., di skin cont	rect	Physical State of Listed Substance	Average Length of Exposure Per Day <sup>2</sup>	Number o Days per Year Exposed			
	<u>A</u>		whalahin		<u>64</u>	B	_5			
				-		-				
				——————————————————————————————————————						
	-									
		~~								
	GC = Gas (contemporary GU = Gas (to the state of the stat	condensible at rature and pre uncondensible	ssure) at ambient	SY = AL = OL =	Sludge or slu Aqueous liqui Organic liqui	urry .d d	ostance at			
	includes SO = Solid	rature and pre des fumes, vap	ssure; ors, etc.)		Immiscible li (specify phas 90% water, 10	es, e.g.,				
	<sup>2</sup> Use the foll	lowing codes to	o designate av	erage le	ngth of expos	ure per day:				
	A = 15 minut B = Greater exceedir C = Greater		es, but not	D = G e E = G e	reater than 2 xceeding 4 ho	hours, but n urs hours, but n urs				

9.07	For each labor category represented in question 9.06, indicate the 8-hour Time Weighted Average (TWA) exposure levels and the 15-minute peak exposure levels. Photocopy this question and complete it separately for each process type and work area.							
<u>CBI</u>								
[_]	Process type	·· training Operate	<u> </u>					
	Work area		1 and 2					
	Labor Category	8-hour TWA Exposure Level (ppm, mg/m <sup>3</sup> , other-specify)	15-Minute Peak Exposure Leve (ppm, mg/m <sup>3</sup> , other-specify)					
		WK	UK					
•								
	-							

<u>BI</u> ]	NA						
	Sample/Test	Work Area ID	Testing Frequency (per year)	Number of Samples (per test)	Who Samples <sup>1</sup>	Analyzed In-House (Y/N)	Number of Years Record Maintained
	Personal breathing zone						
	General work area (air)						
	Wipe samples						
	Adhesive patches	<del></del> -					
	Blood samples						
	Urine samples						
	Respiratory samples						
	Allergy tests						
	Other (specify)						
	Other (specify)						***************************************
	Other (specify)					-	
					· · · · · · · · · · · · · · · · · · ·		
	<sup>1</sup> Use the following contains A = Plant industrial B = Insurance carries C = OSHA consultant D = Other (specify)	l hygienis		takes the	monitoring	g samples:	

[_]	Sample Type		Sampling and Analyt	ical Methodolo	ogy
$\searrow$					
•					
(9.10)	If you conduct perso specify the following	nal and/or ambieng information for	nt air monitoring for	r the listed s	ubstance,
CBI	•	g	- caen equipment typ	c asca.	
[_]	Equipment Type <sup>1</sup>	Detection Limit	t <sup>2</sup> Manufacturer	Averaging Time (hr)	Model Numb
<					
	-				
	<sup>1</sup> Use the following co	odes to designate	e personal air monito	oring equipmen	 t types:
	A = Passive dosimete B = Detector tube				
	C = Charcoal filtra	tion tube with pu	ımp		
	D = Other (specify) Use the following co	ndes to designate	ambient air monitor	ing oquinment	typogi
	E = Stationary monit	tors located with	in work area	ing equipment	types:
	F = Stationary monit G = Stationary monit	tors located with tors located at p	in facility		
	<pre>H = Mobile monitorin I = Other (specify)</pre>	ng equipment (spe	cify)		
	<sup>2</sup> Use the following co	odes to designate	detection limit uni	ts:	<del></del>
	A = ppm				
	<pre>B = Fibers/cubic cer C = Micrograms/cubic</pre>	meter (1/cc)			

	Test Descripti	.on		(weekly.	Frequency monthly, yea	rlv. e
				<u> </u>		
						H44.
	and descripting age to the second					
			<del></del>			·
-						
, <del>,</del>						
	-					

PART	C	ENGINEERING	CONTROLS
1 111/1	$\sim$	DUGITIDALITIO	CONTRODS

9.12 <u>CBI</u>	Describe the engineering controls that you use to reduce or eliminate worker exposure to the listed substance. Photocopy this question and complete it separately for each process type and work area.					
[_]	Process type		rig Operation	لمعالم		
	Work area	• • • • • • • • • • • • •				
	Engineering Controls	Used (Y/N)	Year Installed	Upgraded (Y/N)	Year Upgraded	
	Ventilation:					
	Local exhaust	NA	NA_	NA	NA_	
	General dilution	NA	NA	<u>NA</u>	NA	
	Other (specify)					
	June Lood	4	2'0591	<u> </u>	AU	
	Vessel emission controls	NA	NA	AN_	NA_	
40 24 - 440 - 24	Mechanical loading or packaging equipment	NA	<u> </u>	_NA_	<u> </u>	
	Other (specify)					
		NA	NA	40	NA	

$\left[ \overline{} \right]$ Mark (X) this box if you attach a continuation shee	1	ark (X) this box i	if you attach a	continuation	sheet.
--	---	--------------------	-----------------	--------------	--------

PART	C	ENGINEERING	CONTROLS
IANI	•	THAT THE PART FIRST	CONTROLS

9.12 CBI	Describe the engineering conto the listed substance. Plancess type and work area.	ntrols that yo hotocopy this	u use to reduce o question and comp	r eliminate wor lete it separat	rker exposure
[_]	Process type	·	ania Osei	alia	
	Work area	• • • • • • • • • • • • • • • • • • • •	· · · · · · · · · · · · · · · · · · ·	2	
	Engineering Controls	Used (Y/N)	Year Installed	Upgraded (Y/N)	Year Upgraded
	Ventilation:				
	Local exhaust	NA	NA	NA	_NA
	General dilution	NA	NA	NA	NA
	Other (specify)				
	Vessel emission controls			~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	NA
	Mechanical loading or packaging equipment	<u>Air</u>	NA	NA	NA
	Other (specify)				
	over is verted	<u> </u>	ux	_ UK_	_ NA

 $<sup>[\ \ ]</sup>$  Mark (X) this box if you attach a continuation sheet.

	it separately for o			
Process t	ype			
Work area	••••••	• • • • • • • • • • • • • • • • • • • •	····· _	
	Equipment or Proc	cess Modification		Reduction in Wor Exposure Per Year
<del></del>				
	-			
	-			

# PART D PERSONAL PROTECTIVE AND SAFETY EQUIPMENT

9.14) CBI	Describe the personal in each work area in substance. Photocopy and work area.	l protective and safety equi order to reduce or eliminato this question and complete	pment that your workers e their exposure to the it separately for each	wear or u listed process t	se ype
[_]	Process type	- Lang Com	1. <del>1.</del> 2. 2. 4.		
	Work area				
			Wear or		
		Equipment Types	Use (Y/N)		
		Respirators	N		
	:	Safety goggles/glasses	<u> </u>		
	1	ace shields	N		
	(	Coveralls	<u></u>		
	F	dib aprons	<u> </u>		
	C	hemical-resistant gloves	<u> </u>		
	0	ther (specify)			
	_				

## PART D PERSONAL PROTECTIVE AND SAFETY EQUIPMENT

9.14	in each work area in	l protective and safety equi	te their evaceure to th	a 14-4-4
an t	substance. Photocop	y this question and complete	e it separately for eac	h process typ
CBI	Process type	·	30. 7. 5.	
	Work area	- Stoaning	·····	2
			Wear or	
		Equipment Types	Use (Y/N)	
		Respirators	<u> N</u>	
		Safety goggles/glasses		
		Face shields	<u> </u>	
		Coveralls		
		Bib aprons	N	
		Chemical-resistant gloves		
		Other (specify)		
			-	

respirators used, the average usage, whether or not the respirator tested, and the type and frequency of the fit tests. Photocopy to complete it separately for each process type.				otocopy this	ors were fit this question and	
CBI	Process type					
·	Work Area	Respirator Type	Average Usage	Fit Tested (Y/N)	Type of Fit Test <sup>2</sup>	Frequency of Fit Tests (per year)
	A = Daily B = Weekly C = Monthly D = Once a E = Other (	year specify)				
	QL = Quality QT = Quanti		mate the type o	of fit tes	t:	

9.19 CBI	Describe all of the work eliminate worker exposure authorized workers, mark monitoring practices, proquestion and complete it	e to the listed so areas with warnio ovide worker train	ubstance (e.g ng signs, ins ning programs	., restrict e ure worker de , etc.). Pho	ntrance only to tection and tocopy this
	Process type	Joanic C	Denter.		
	TT			1 an	d 2
	workers have	manuels a	<u>wailable</u>	which.	nolone
	technique	changed o	ed supe	special s	itay
2.20	Indicate (X) how often you leaks or spills of the list separately for each process type	sted substance.	Photocopy thi	ask used to clis question ar	lean up routine nd complete it
.20	leaks or spills of the li- separately for each proce-	sted substance. ss type and work	Photocopy thi	ask used to clis question ar	nd complete it
.20	rocess type	sted substance. ss type and work	Photocopy thi	is question ar	More Than 4
.20	Process type  Work area	sted substance. ss type and work  Less Than	Photocopy this area.	3-4 Times	More Than 4
.20	Process type  Work area  Housekeeping Tasks	sted substance. ss type and work  Less Than	Photocopy this area.	3-4 Times	More Than 4
2.20	Process type  Work area  Housekeeping Tasks  Sweeping	sted substance. ss type and work  Less Than	Photocopy this area.	3-4 Times	More Than 4
2.20	Process type  Work area  Housekeeping Tasks  Sweeping  Vacuuming	sted substance. ss type and work  Less Than	Photocopy this area.	3-4 Times	More Than 4
2.20	Process type  Work area  Housekeeping Tasks  Sweeping  Vacuuming  Water flushing of floors	sted substance. ss type and work  Less Than	Photocopy this area.	3-4 Times	More Than 4
2.20	Housekeeping Tasks  Sweeping  Vacuuming  Water flushing of floors  Other (specify)	Less Than Once Per Day	Photocopy this area.  1-2 Times Per Day	3-4 Times Per Day	More Than 4 Times Per Day
2.20	leaks or spills of the list separately for each process type  Work area  Housekeeping Tasks Sweeping Vacuuming Water flushing of floors Other (specify)	Less Than Once Per Day	Photocopy this area.  1-2 Times Per Day	3-4 Times Per Day	More Than 4 Times Per Day

9.21	Do you have a written medical action plan for responding to routine or emergency exposure to the listed substance?
	Routine exposure
	Yes
	No
	Emergency exposure
	Yes
	No
	If yes, where are copies of the plan maintained?
	Routine exposure:
	Emergency exposure:
	Response not required for TOI
9.22	Do you have a written leak and spill cleanup plan that addresses the listed substance? Circle the appropriate response.
	Yes 1
	No 2
	If yes, where are copies of the plan maintained?
	Has this plan been coordinated with state or local government response organizations? Circle the appropriate response.
	Yes 1
	No 2
9.23	Who is responsible for monitoring worker safety at your facility? Circle the appropriate response.
	Plant safety specialist 1
	Insurance carrier 2
	OSHA consultant 3
	Other (specify) 4
	I at sof beinger tan enriques
[_]	Mark (X) this box if you attach a continuation sheet.

#### SECTION 10 ENVIRONMENTAL RELEASE

#### General Instructions:

Complete Part E (questions 10.23-10.35) for each non-routine release involving the listed substance that occurred during the reporting year. Report on all releases that are equal to or greater than the listed substance's reportable quantity value, RQ, unless the release is federally permitted as defined in 42 U.S.C. 9601, or is specifically excluded under the definition of release as defined in 40 CFR 302.3(22). Reportable quantities are codified in 40 CFR Part 302. If the listed substance is not a hazardous substance under the Comprehensive Environmental Response, Compensation, and Liability Act of 1980 (CERCLA) and, thus, does not have an RQ, then report releases that exceed 2,270 kg. If such a substance however, is designated as a CERCLA hazardous substance, then report those releases that are equal to or greater than the RQ. The facility may have answered these questions or similar questions under the Agency's Accidental Release Information Program and may already have this information readily available. Assign a number to each release and use this number throughout this part to identify the release. Releases over more than a 24-hour period are not single releases, i.e., the release of a chemical substance equal to or greater than an RQ must be reported as a separate release for each 24-hour period the release exceeds the RQ.

For questions 10.25-10.35, answer the questions for each release identified in question 10.23. Photocopy these questions and complete them separately for each release.

PART A	A GENERAL INFORMATION
(10.01) CBI	Where is your facility located? Circle all appropriate responses.
[_]	Industrial area
	Urban area 2
	Residential area 3
	Agricultural area 4
	Rural area 5
	Adjacent to a park or a recreational area 6
	Within 1 mile of a navigable waterway 7
	Within 1 mile of a school, university, hospital, or nursing home facility 8
	Within 1 mile of a non-navigable waterway 9
	Other (specify)10
[_]	Mark (X) this box if you attach a continuation sheet.

	Specify the exact location of your is located) in terms of latitude a (UTM) coordinates.	facility (from cen nd longitude or Uni	tral point where versal Transvers	process unit e Mercader
	Latitude	•••••	<u>37                                    </u>	<u>.5 '</u>
	Longitude	•••••	122 0	3_′
	UTM coordinates Zone	, North	ing, Ea	sting
10.03	If you monitor meteorological cond the following information.	itions in the vicin	ity of your faci	lity, provide
	Average annual precipitation	•••••		inches/yea
	Predominant wind direction	••••••		
	veronso not	required for	7C17 x	<del></del>
10.04				
	Depth to groundwater	_		meters
10.05 CBI	For each on-site activity listed, listed substance to the environment Y, N, and NA.)	indicate (Y/N/NA) a t. (Refer to the in	ll routine releas	ses of the a definition o
[_]	On Sito Activity		ronmental Releas	
	On-Site Activity	Air	Untor	se
	Manufacturing		Water	Land
	g	NA	NA	
	Importing			Land NA
	<u> </u>		NA	Land NA
	Importing		NA NA	Land NA
	Importing Processing	<u>NA</u>	NA NA N	Land NA NA
	Importing Processing Otherwise used	NA VA	2A 2 2 2A	Land NA NA NA NA
	Importing Processing Otherwise used Product or residual storage	NA VA	2A 2A 2A 2A	Land NA NA NA NA NA NA NA
	Importing Processing Otherwise used Product or residual storage Disposal	NA VA NA	NA NA NA NA NA	Land NA
	Importing Processing Otherwise used Product or residual storage Disposal	NA VA NA	NA NA NA NA NA	Land NA
	Importing Processing Otherwise used Product or residual storage Disposal	NA VA NA	NA NA NA NA NA	Land NA

10.06

2/0/2	O TD	I Mixt	ure oi	nlu
00/2	0	~ (./	0.60	114

10.06	Provide the following information for the lister of precision for each item. (Refer to the instran example.)	d substance and specif ructions for further e	y the level explanation and
CBI			
[_]			
	Quantity discharged to the air	LLK	kg/yr <u> </u>
	Quantity discharged in wastewaters	NA	kg/yr <u> </u>
	Quantity managed as other waste in on-site treatment, storage, or disposal units	NA	kg/yr ± <u>NA</u> 2
	Quantity managed as other waste in off-site treatment, storage, or disposal units	UK	kg/yr <u>+ NA</u> %

(10.08) CBI	for each process strea process block or resid	echnologies used to minimize release of m containing the listed substance as ic ual treatment block flow diagram(s). I tely for each process type.	dentified in your
[_]	Process type		
	Stream ID Code	Control Technology	Percent Efficiend
	- -		
	- '		

source. Do not include sources (e.g., equipment for each process type.	raw material and product storage vents, or fugitive emist leaks). Photocopy this question and complete it separa
Process type	-towning Cheration
Point Source ID Code	Description of Emission Point Source
-7E	
70	enisions from curing over
· 	
	·
·	
· ·	
· _ ·	

Мa

(x)

Ø

xoq

H

 $<sup>^4</sup>$ Average Emission Factor — Provide estimated ( $\pm$  25 percent) emission factor (kg of emission per kg of production of listed substance)

Point Source ID Code	Stack Height(m)	Stack Inner Diameter (at outlet) (m)	Exhaust Temperature (°C)	Emission Exit Velocity (m/sec)	Building <u>Height(m)</u> 1	Building Width(m) <sup>2</sup>	Ven Typ
TF	<u> </u>	_02_	82	ule	10	171	V
76-		0.2	anient	UK	10	171	V
				<del></del>		-	
····							
	· ·						

H = Horizontal
V = Vertical

distribution for each Point Source	d in particulate form, indicate the particle si e ID Code identified in question 10.09. ete it separately for each emission point sourc
Point source ID code	NA
Size Range (microns)	Mass Fraction ( $\% \pm \%$ precision)
< 1	NA
≥ 1 to < 10	NA
≥ 10 to < 30	NA
≥ 30 to < 50	NA
≥ 50 to < 100	NA
≥ 100 to < 500	NA
≥ 500	NA
	Total = 100%

### PART C FUGITIVE EMISSIONS

	*						
10.13	Equipment Leaks Complete types listed which are expo according to the specified the component. Do this for residual treatment block for	sed to the weight percent each proces	listed su ent of th ss.type i	bstance a e listed dentified	nd which substance	are in se	rvice through
	residual treatment block fl not exposed to the listed s	substance.	lt this i	s a batch	or inter	mittently	operated
	process, give an overall pe	ercentage of	time per	vear tha	t the pro	cess type	ic
<u>CBI</u>	exposed to the listed subst for each process type.	ance. Photo	ocopy thi	s questio	n and com	plete it	separately
[-]	Process type						
·—-	Percentage of time per year	that the l	isted sub				
	type	······································		is	exposed	to this p	rocess
				nents in		_	
			of Liste	d Substan	ce in Pro	y weight cess Stre	rercent am
	Equipment Type	Less than 5%					Greater
	Pump seals <sup>1</sup>	than J/6	7-10%	11-25%	26-75%	<u>/6-99%</u>	than 99%
	Packed						
	Mechanical						
	Double mechanical <sup>2</sup>						
	Compressor seals <sup>1</sup>				·		
	Flanges	<del></del>					
	Valves						
	Gas <sup>3</sup>						
	Liquid -						<del></del>
	Pressure relief devices (Gas or vapor only)						
	Sample connections						
	Gas						
	Liquid						
	Open-ended lines <sup>5</sup> (e.g., purge, vent)					•	
	Gas						
	Liquid					· · · · · · · · · · · · · · · · · · ·	
	List the number of pump and compressors	compressor	seals, r	ather tha	n the num	ber of pu	mps or
	continued on next page						

10.13	(continued)									
	<sup>2</sup> If double mechanical seals are operated with the barrier (B) fluid at a pressure greater than the pump stuffing box pressure and/or equipped with a sensor (S) the will detect failure of the seal system, the barrier fluid system, or both, indication with a "B" and/or an "S", respectively									
	<sup>3</sup> Conditions existing in the valve during normal operation									
	<sup>4</sup> Report all pressure relief control devices	<sup>4</sup> Report all pressure relief devices in service, including those equipped with								
	<sup>5</sup> Lines closed during normal operations	<sup>5</sup> Lines closed during normal operation that would be used during maintenance operations								
10.14) CBI	Pressure Relief Devices wit pressure relief devices ide devices in service are cont enter "None" under column o	entified in 10.13 to crolled. If a press	indicate which p	ressure relief						
1		b.	c.	d.						
X	Number of Pressure Relief Devices	Percent Chemical in Vessel	Control Device	Estimated Control Efficiency						
	_									
 1	Pofer to the told in the									
	Refer to the table in quest heading entitled "Number of Substance" (e.g., <5%, 5-10)	Components in Servi	ice by Weight Perc	ent of Listed						
	The EPA assigns a control e with rupture discs under no efficiency of 98 percent for conditions	rmal operating condi	itions. The EPA a	ssigns a control						

Process type	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •			
Equipment Type	Leak Detection Concentration (ppm or mg/m³) Measured at Inches from Source	Detection Device	of Leak Detection	Repairs Initiated (days after detection)	
Pump seals					
Packed					
Mechanical					
Double mechanical		<u> </u>	, , , , , , , , , , , , , , , , , , ,		
Compressor seals					
Flanges					
Valves					
Gas				;	
Liquid					
Pressure relief devices (gas or vapor only)					
Sample connections					
Gas -					
Liquid					
Open-ended lines					
Gas					
Liquid					
<sup>1</sup> Use the following co POVA = Portable orga FPM = Fixed point mo 0 = Other (specify)	nic vapor analyze		vice:		

NA

	·				flow diagram					Operat-	-				
		Vessel Type <sup>1</sup>	Floating Roof Seals <sup>2</sup>	Composition of Stored Materials <sup>3</sup>	Throughput (liters per year)		Vessel Filling Duration (min)	Vessel Inner Diameter (m)	Vessel Height (m)	ing Vessel Volume (1)	Vessel Emission Controls	Design Flow Rate	Vent Diameter (cm)	Control Efficiency (%)	Bas fo Estin
						1									
						-									-
											-				<del></del>
											- / · · · · · · · · · · · · · · · · · ·				
						<del></del>									
												<del></del>			
			 o follard		 			2,,							
1			: Fixed ro		designate ve	sser typ	e:						te tloatin	g roof seals	<b>5:</b>
		r =			ating roof			MS2	= Sho	e-mount	shoe, pri ed seconda	ry			
						_					d, seconda	ry			
		NCIF =	Nonconta	ct internal		t							Ind coal	primora	
		NCIF = EFR = P =	<ul><li>Nonconta</li><li>External</li><li>Pressure</li></ul>	act internal I floating ro e vessel (ind			g)	LM1 LM2	= Liq = Rim	uid-mour -mourate	nted resil I shield		lled seal,	primary	
		NCIF = SFR = P = H =	<ul><li>Nonconta</li><li>External</li><li>Pressure</li><li>Horizont</li></ul>	act internal I floating ro e vessel (indical	of		g)	LM1 LM2 LMW	= Liqu = Rim = Wea	uid-moun -mounted ther sh	nted resil I shield ield	ient fil			
		NCIF = SFR = P = H =	<ul><li>Nonconta</li><li>External</li><li>Pressure</li></ul>	act internal I floating ro e vessel (indical	of		g)	LM1 LM2 LMW VM1	= Liqu = Rim- = Wea = Vapo = Rim-	uid-moun -mounted ther shorn or moun	nted resild shield ield ted resilid secondar	ient fil			
		NCIF = EFR = P = H = U =	Nonconta External Pressure Horizont Undergro	act internal I floating ro e vessel (ind al cund	oof licate pressu	re ratin		LM1 LM2 LMW VM1 VM2 VMW	= Liqu = Rim = Wea = Vapo = Rim = Wea	uid-mounted ther shormounted or mounted ther shounted	nted resil d shield ield ted resili d secondar ield	ient fil ent fill y	led seal,	primary	
		NCIF = SFR = P = H = U = 3 Indica	Nonconta External Pressure Horizont Undergro	act internal I floating ro e vessel (ind al cund	of	re ratin		LM1 LM2 LMW VM1 VM2 VMW	= Liqu = Rim = Wea = Vapo = Rim = Wea	uid-mounted ther shormounted or mounted ther shounted	nted resil d shield ield ted resili d secondar ield	ient fil ent fill y	led seal,	primary	
		NCIF = SFR = P = H = U = 3 Indica 4 Other	Nonconta External Pressure Horizont Undergro	act internal I floating ro e vessel (indical buind t percent of ating roofs	oof licate pressu the listed s	re rating	. Include	IM1 IM2 IMW VM1 VM2 VMW the total	= Liqu = Rim = Wea = Vap = Rim = Wea	uid-mounted ther ships mounted mounted ther ships ile orga	nted resild shield ield ted resilid secondar ield anic conte	ient fill ent fill y nt in pa	led seal,	primary	
		NCIF = EFR = P = U = 3 Indica 4 Other 5 Gas/va	Nonconta External Pressure Horizont Undergro the weight than floa	act internal I floating ro e vessel (indical cund t percent of ating roofs rate the emi	oof licate pressu	re rating ubstance l device	. Include	IM1 IM2 IMW VM1 VM2 VMW the total	= Liqu = Rim = Wea = Vapo = Rim = Wea l volat:	uid-mounted ther ship or moun- mounted ther ship ile organized	nted resild shield ield ted resilid secondar ield anic conte	ient fill ent fill y nt in pa	led seal,	primary	

DADT	172	NON	DOLLMAND	DELEA	~=~
PART	₩.	- MUM -	ROUTINE	RELEA	SES

			Date	Time	Date	Time
) ٧	Release	<u>_s</u>	started	(am/pm)	Stopped	(am/pm)
	1	***************************************	·			
	2					
	3	_				
	5					
	6					
10.24	Specify t		nditions at the		release.	
	Release	Wind Speed (km/hr)	Wind Direction	Humidity(%)	Temperature(°C)	Precipitation (Y/N)
	1	***************************************				
	3	-				
	2 3 4 5					
	3					
	2 3 4 5					
	2 3 4 5					
	2 3 4 5					
	2 3 4 5					

CSHA 174, Sept. 1985

# 005414

HMMS

(Reproduce locally)

Material Safety Data Sheet U.S. Department of Labor May be used to comply with Occupational Safety and Health Administration OSHA's Hazard Communication Standard, (Non-Mandatory Form) 29 CFR 1910.1200, Standard must be : Form Approved consulted for specific requirements. OMB No. 1218-0072 Stafoam P 1103, Component T Note: Elank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that. Section I Manufacturer's Name Emergency Telephone Number Expanded Rubber & Plastics Corp. CHEMTREC (800) 424-9300 Address (Number, Street, City, State, and ZIP Code) Telephone Number-for Information 14000 South Western Avenue (213) 324-6692 or (213) 321-4260 Date Frequenced Gardena, CA 90249 5-19-87 Signature of Preparer (opponal) Section II — Hazardous Ingredients/Identity Information Hazzirdous Components (Specific Chemical Identity; Common Name(s)) OSHA PEL ACGIH TLV Recommended % (cptional) Toluene Diisocyanate 0.02 ppm 0.005 ppm Polvether Polvols N/A N/A 20 N/A IF AT Section III - Physical/Chemical Characteristics **Eating Point** Specific Gravity (H2O = 1) 480°F 1.2 Approx. Approx. Vapor Pressyre (mm Hg.: @ 20 C (68 F) Meiting Point 0.01 A\B Vapor Density (AIR = 1) Evaporation Plate 6.0 (Butyl Acetate = 1) N/A Solubility in Water Reacts with water generating CO2. Pale yellow viscous liquid. Strong pungent odor. Section IV - Fire and Explosion Hazard Data Flash Point (Meinod Used) Flammapie Limits 260 F 0.9 9.5 PMCC % By Volume Extinguishing Media Water fog, CO2, Dry chemical. Special Fire Fighting Procedures Fire Fighters must wear self-contained breathing apparatus & turnout gear. Oxides of Carbon, Nitrogen, Isocyanate vapors HCN, HCL will be generated. Unusual Fire and Expression Hazards Water contaminated material will generate CO, which may cause explosion of closed Cool down containers with water spray. container.

	Resctivity Data					
Stability	Unstable		Conditions to Avoid Temperatures above above 40°C for extended periods of time.			
	Stable	X		• • •		
Compatibility Basic com	(Metenals to Avoid)	s't1c	soda, tertiary an	ines. water.		
azaroous Deco	mposition or Byprodu	JC13				
Isocyanat	e Vapors, or	xides	of Carbon and Ni			
olymenzation		х	Water & Other pr	coducts that react with Isocyanates CUPATIONA		
• •	Will Not Occur		en a si i suma en a como e	SALE IY & HEAL		
ection VI -	- Health Hazard	Data		JUN 2 3 1988		
outers) of Entry	inha	usuon?		Skin? Ingesuon? AM		
eath Hazards (	Acure and Chronic)			<del>- 1 7   8   1   1   1   1   2   3   4  </del>		
				ion of respiratory tract. Prolonged		
				c lung impairment. Liquid contact		
	rious skin a			ARC Monographs? OSHA Requisited?		
_	YE	70	en per anggrego de la companya de la Maria de la M Notación de la Maria de la	· ••		
nationa loses. I	I NTP progra t was not ca	m sh rcin	owed TDI to be ca ogenic in a 2 yea	rcinogenic when given to rats in max. tolerate r inhalation study. TDI is included in the N		
			· · · · · · · · · · · · · · · · · · ·	attacks in sensitive persons, severe		
TT1E8E10:		ye d	amage, or TDI sen	SITIZETION.		
	ated by Exposure	Res	oiratory bronchia	1 conditions. Skin sensitivity.		
-		<u> </u>	na greno de la Stalla de	and the second of the second o		
nergency and f	First Aid Procedures	Ey	es: Flush with wa	ter 15 min. Get medical attention. Skin: contaminated clothing. Ingestion: Give Get medical attention. Inhalation: Move to		
lency of	Water. Do	NOI	induce vomiting.	Get medical attention. Inhalation: Move to		
		-		medical attention.		
	n in Case Material I		Handling and Use			
				nt. Absorb material with sawdust or		
•				ture of 90% water, 8% concentrated ammonia,		
			<del></del>	drums and remove to well ventilated area.		
aste Disposal M	lethod					
isposai d	or waste mus	t be	done in accordan	ce with Federal, State and		
ocal envi	ronmental c	ontr	ol regulations.	· "·		
tore in t	Taxan in Harwing Lightly clos	ed c	ontainers in dry	cool places at temperatures between 70-90°F.		
ner Precautions				er & other substances generating CO2 gas		
			•	nd and possibly rupture. DO NOT reseal		
			on is suspected.			
	<ul> <li>Control Meas</li> </ul>		• •	• • • • • • • • • • • • • • • • • • • •		
spiratory Protec	mon (Specify Type)	Sel	e-contained breat	hing apparatus, gas masks equipped with		
	Locai Exhaust		with external ai	Special TDI vapors are heavier than air. Design exhaust systems accordingly.		
	Mechanical (Garrara	4	ES -	Other		
		" Y	ES	NONE		
otective Gioves hemical r		bber	or plastics	Eye Protection Fitted goggles or face shields and safety glasses.		
har Protective C	lothing or Equipmen	nt				
overalls,	boots, rub	t ea	prons. . arink, or smok	e in working areas. Keep clothing clean and		
quipment	clean at al	ī tī	nés.	· · · · · · · · · · · · · · · · · · ·		